



# Certificate of Analysis

## Customer Information

**Client:** Empowered Creations, LLC  
**Attention:** +1 (830) 660-9770  
**Address:** 321 W. Ben White Blvd, Suite 103  
 Austin, TX 78704

## Testing Facility

**Lab:** Cora Science, LLC  
**Address:** 8000 Anderson Square, STE 113  
 Austin, Texas 78757  
**Contact:** info@corascience.com  
 (512) 856-5007

## Sample Image(s)



## Sample Information

**Name:** JOY  
**Lot Number:** 12302025  
**Description:** Finely ground plant material  
**Condition:** Good  
**Job ID:** ISO05855  
**Sample ID:** I16294  
**Received:** 30DEC2025  
**Completed:** 02JAN2026  
**Issued:** 06JAN2026

## Test Results

### Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 02JAN2026 | 1951

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	1.38	w/w%	0.0054	N/A
7-Hydroxymitragynine	Report Results	0.00389	w/w%	0.0014	N/A
Paynantheine	Report Results	0.269	w/w%	0.0054	N/A
Speciogynine	Report Results	0.199	w/w%	0.0054	N/A
Speciociliatine	Report Results	0.371	w/w%	0.0054	N/A
Total Mitragyna Alkaloids	Report Results	2.22	w/w%	0.0054	N/A

### Elemental Impurities (ICP-MS)

Method Code: T301

Tested: 02JAN2026 | 1411

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 2.00	0.415	ug/g	0.006	PASS
Cadmium	NMT 0.50	0.027	ug/g	0.002	PASS
Mercury	NMT 0.20	0.013	ug/g	0.002	PASS
Lead	NMT 5.00	0.647	ug/g	0.002	PASS

### Microbiological Examination

Method Code: T005

Tested: 30DEC2025 | 1549

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	NMT 10,000,000 CFU/g	520	CFU/g	20 CFU/g	PASS
Total Yeast and Mold	NMT 100,000 CFU/g	60	CFU/g	20 CFU/g	PASS
Total Coliforms	NMT 10,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Escherichia coli	Not Detected in 10 g	Not Detected	N/A	1 CFU/10g	PASS
Salmonella spp.	Not Detected in 25 g	Not Detected	N/A	1 CFU/25g	PASS

## Additional Report Notes

---

N/A

---

## Revision History

---

rev 00 - Initial release.

---

## Abbreviations

---

**ID:** identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

---

## Authorization

---

This report has been authorized for release from Cora Science by:

<b>Signature:</b>		<b>Position:</b>	Laboratory Director
<b>Name:</b>	Tyler West	<b>Department:</b>	Management
		<b>Date:</b>	06JAN2026